

# Package: door (via r-universe)

May 20, 2026

**Type** Package

**Title** Analysis of Clinical Trials with the Desirability of Outcome Ranking Methodology

**Version** 0.0.3

**Description** Statistical methods and related graphical representations for the Desirability of Outcome Ranking (DOOR) methodology. The DOOR is a paradigm for the design, analysis, interpretation of clinical trials and other research studies based on the patient centric benefit risk evaluation. The package provides functions for generating summary statistics from individual level/summary level datasets, conduct DOOR probability-based inference, and visualization of the results. For more details of DOOR methodology, see Hamasaki and Evans (2025) <[doi:10.1201/9781003390855](https://doi.org/10.1201/9781003390855)>. For more explanation of the statistical methods and the graphics, see the technical document and user manual of the DOOR 'Shiny' apps at <<https://methods.bsc.gwu.edu>>.

**Imports** dplyr, tidyr, ggplot2, forestplot, scales, methods, labeling

**License** GPL (>= 3)

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.3.2

**Collate** 'DOOR.R' 'door\_summary.R' 'calc\_doorprob.R' 'check.HLP.R' 'check.homog.R' 'create.U.R' 'create.Z.ZF.R' 'data.R' 'door\_barplot.R' 'var\_pi.R' 'door\_ci.R' 'door\_test.R' 'forest\_plot.R' 'mph.fit.R' 'mph.summary.R' 'num.deriv.fct.R' 'partial\_credit\_analysis.R' 'partial\_credit\_plots.R'

**Suggests** testthat (>= 3.0.0)

**Config/testthat/edition** 3

**Depends** R (>= 3.5)

**NeedsCompilation** no

**Author** Yijie He [aut, cre], Qihang Wu [ctb], Toshimitsu Hamasaki [ctb]

**Maintainer** Yijie He <yih148@gwu.edu>

**Config/pak/sysreqs** libicu-dev

**Repository** <https://yijiehe.r-universe.dev>

**Date/Publication** 2025-08-23 02:30:02 UTC

**RemoteUrl** <https://github.com/cran/door>

**RemoteRef** HEAD

**RemoteSha** 2b7175b6630635728aec4f304e85980515665e57

## Contents

calc_doorprob . . . . .	2
door_barplot . . . . .	3
door_ci . . . . .	4
door_component_barplot . . . . .	5
door_component_forestplot . . . . .	6
door_cumulative_forestplot . . . . .	7
door_summary . . . . .	8
door_test . . . . .	9
halperin_ci . . . . .	10
inv_tanh_ci . . . . .	11
mock_raw_data . . . . .	12
partial_credit_analysis . . . . .	13
partial_credit_biplot . . . . .	14
partial_credit_contour_plot . . . . .	14
pseudo_score_ci . . . . .	15
var_pi . . . . .	17
<b>Index</b>	<b>18</b>

---

calc_doorprob	<i>Calculate DOOR probability</i>
---------------	-----------------------------------

---

## Description

For summary level data, y1 and y2 should be given. For individual level data, a summary\_obj should be given.

## Usage

```
calc_doorprob(
  y1 = NULL,
  y2 = NULL,
  data_type = c("freq", "prop"),
  summary_obj = NULL
)
```

**Arguments**

y1	A vector of proportion or frequency distribution for group 1
y2	A vector of proportion or frequency distribution for group 2
data_type	Either "freq" for frequency input or "prop" for proportion input when using y1 and y2
summary_obj	A object returned by door_summary(); Alternative input for y1 and y2

**Value**

DOOR probability

**See Also**

[door\\_summary\(\)](#)

**Examples**

```
y1 = c(60, 30, 10)
y2 = c(50, 40, 10)
calc_doorprob(y1, y2)

## DOOR probability
##           0.545

p1 = c(.6, .3, .1)
p2 = c(.5, .4, .1)
calc_doorprob(p1, p2, data_type = "prop")

## DOOR probability
##           0.545
```

---

door\_barplot

*Create DOOR summary barplot*

---

**Description**

Create DOOR summary barplot

**Usage**

```
door_barplot(
  y1 = NULL,
  y2 = NULL,
  summary_obj = NULL,
  data_type = c("freq", "prop")
)
```

**Arguments**

y1, y2	Numeric vectors of DOOR proportion or frequency distribution for group 1, group 2. The entries should be ordered from most desirable to least desirable
summary_obj	An object returned by door_summary(); Alternative input for y1 and y2
data_type	Either "freq" for frequency input or "prop" for proportion input when using y1 and y2

**Value**

a ggplot object

**Examples**

```
y1 = c(60, 30, 10)
y2 = c(50, 40, 10)
door_barplot(y1, y2)
```

---

door_ci	<i>Calculate confidence intervals for DOOR probability</i>
---------	--

---

**Description**

This is a wrapper function for all CI calculation functions

**Usage**

```
door_ci(
  y1 = NULL,
  y2 = NULL,
  n1 = NULL,
  n2 = NULL,
  summary_obj = NULL,
  conf_level = 0.95,
  data_type = c("freq", "prop"),
  ci_method = c("all", "halperin", "ps_h", "tanh"),
  ...
)
```

**Arguments**

y1, y2	Numeric vectors of DOOR proportion or frequency distribution for group 1, group 2. The entries should be ordered from most desirable to least desirable
n1, n2	Sample sizes of group 1, group 2; must be specified if method = "prop"
summary_obj	A object returned by individual_to_summary(); Alternative input for y1 and y2
conf_level	Confidence level

data_type	Either "freq" for frequency input or "prop" for proportion input when using y1 and y2
ci_method	One of "all" for all available methods, "halperin" for Halperin et al. (1989)'s method, "ps_h" for pseudo-score approach for Halperin's method, "tanh" for inverse hyperbolic tangent transformed method
...	Additional parameters passed for calculating pseudo-score type confidence interval

**Value**

List of CIs

**See Also**

[halperin\\_ci\(\)](#), [pseudo\\_score\\_ci\(\)](#)

**Examples**

```
door_ci(c(60,30,10), c(50,40,10), ci_method = "all")
```

door\_component\_barplot

*Create DOOR component barplot*

**Description**

Create DOOR component barplot

**Usage**

```
door_component_barplot(
  comp_table = NULL,
  n1 = NULL,
  n2 = NULL,
  summary_obj = NULL,
  data_type = c("freq", "prop")
)
```

**Arguments**

comp_table	A DOOR component table
n1, n2	Sample sizes of group 1, group 2
summary_obj	An object returned by <code>individual_to_summary()</code> ; Alternative input for <code>comp_table</code> .
data_type	Either "freq" for frequency input or "prop" for proportion input if "comp_table" is used

**Value**

A ggplot object

**Examples**

```
comp_table = data.frame(compname = c("A", "B"), trt = c(30, 20), ctr = c(40, 25))
door_component_barplot(comp_table = comp_table, n1 = 100, n2 = 100)
```

---

```
door_component_forestplot
      Create DOOR component forest plot
```

---

**Description**

Create DOOR component forest plot

**Usage**

```
door_component_forestplot(
  comp_table = NULL,
  y1 = NULL,
  y2 = NULL,
  n1 = NULL,
  n2 = NULL,
  data_type = c("freq", "prop"),
  summary_obj = NULL,
  conf_level = 0.95,
  ci_method = c("halperin", "ps_h", "ps_tanh")
)
```

**Arguments**

comp_table	a data frame of DOOR components. See example.
y1, y2	Numeric vectors of DOOR proportion or frequency distribution for group 1, group 2. The entries should be ordered from most desirable to least desirable
n1, n2	Sample sizes of group 1, group 2; must be specified if method = "prop"
data_type	Either "freq" for frequency input or "prop" for proportion input when using y1 and y2
summary_obj	An object returned by individual_to_summary(); Alternative input for y1 and y2
conf_level	confidence level
ci_method	method for confidence interval calculation; one of "halperin", "ps_h", "ps_tanh"

**Value**

a forest plot object

**Examples**

```
comp_table = data.frame(compname = c("A", "B"), trt = c(30, 20), ctr = c(40, 25))
y1 = c(60, 30, 10)
y2 = c(60, 30, 10)
door_component_forestplot(comp_table = comp_table,
                           y1 = y1,
                           y2 = y2)
```

---

```
door_cumulative_forestplot
```

*Generate cumulative DOOR forest plot*

---

**Description**

Generate cumulative DOOR forest plot

**Usage**

```
door_cumulative_forestplot(
  y1 = NULL,
  y2 = NULL,
  n1 = NULL,
  n2 = NULL,
  data_type = c("freq", "prop"),
  summary_obj = NULL,
  conf_level = 0.95,
  ci_method = c("halperin", "ps_h", "tanh")
)
```

**Arguments**

y1, y2	Numeric vectors of DOOR proportion or frequency distribution for group 1, group 2. The entries should be ordered from most desirable to least desirable
n1, n2	Sample sizes of group 1, group 2; must be specified if method = "prop"
data_type	Either "freq" for frequency input or "prop" for proportion input when using y1 and y2
summary_obj	An object returned by individual_to_summary(); Alternative input for y1 and y2
conf_level	confidence level
ci_method	methods for calculating confidence interval

**Value**

a forestplot object

**Examples**

```

y1 = c(60, 30, 10)
y2 = c(50, 40, 10)
door_cumulative_forestplot(y1, y2)

```

---

door\_summary

*Summarize individual level data into summary level data*


---

**Description**

Transform an individual level dataset that contains DOOR outcome variable and treatment/intervention variable to summary level. By default, the levels of the DOOR outcome is ordered from 1 to K.

**Usage**

```

door_summary(
  data,
  trtVar,
  doorVar,
  trtCodes,
  trtLabels = NULL,
  compVars = NULL,
  decreasing = FALSE
)

```

**Arguments**

data	Data frame that includes DOOR outcome variable and treatment variable at individual level
trtVar	Variable name of treatments
doorVar	Variable name of DOOR outcome; the doorVar should be numeric
trtCodes	A numeric vector contains the codes for interventions in trtVar, ordered by c(trt, ctr)
trtLabels	An optional vector contains the intervention labels for trtCodes, ordered by c(trt, ctr)
compVars	An optional character vector of variable names of DOOR components
decreasing	A logical value indicating the order of desirability of the DOOR levels. By default, smaller value represents better outcomes

**Value**

An object of DOOR outcome distribution summary

**Examples**

```

data(mock_raw_data)
door_summary(data = mock_raw_data,
             trtVar = "ARM",
             doorVar = "DOOR",
             trtCodes = c(1,2),
             trtLabels = c("Test, Control"),
             compVars = c("infectious complications", "clinical failure", "death"))

```

---

door\_test

*Hypothesis testing for the DOOR probability*


---

**Description**

Hypothesis testing for the DOOR probability

**Usage**

```

door_test(
  y1 = NULL,
  y2 = NULL,
  n1 = NULL,
  n2 = NULL,
  summary_obj = NULL,
  data_type = c("freq", "prop"),
  null_value = 0.5,
  alternative = c("two.sided", "less", "greater")
)

```

**Arguments**

y1, y2	Numeric vectors of DOOR proportion or frequency distribution for group 1, group 2. The entries should be ordered from most desirable to least desirable
n1, n2	Sample sizes of group 1, group 2; must be specified if method = "prop"
summary_obj	An object returned by individual_to_summary(); Alternative input for y1 and y2
data_type	Either "freq" for frequency input or "prop" for proportion input when using y1 and y2
null_value	A number specifying the hypothesized value of the DOOR probability
alternative	A character describing the alternative hypothesis

**Value**

A htest object containing information of hypothesis test of DOOR probability

**See Also**[door\\_summary\(\)](#)**Examples**

```

y1 <- c(60, 30, 10)
y2 <- c(50, 40, 10)
door_test(y1 = y1, y2 = y2)

## Hypothesis test for DOOR probability
## data: y1 and y2
## WMW statistic = 1.2372, p-value = 0.216
## alternative hypothesis: true is not equal to 0.5
## sample estimates:
## DOOR probability
##           0.545

```

---

halperin_ci	<i>Calculate confidence interval of DOOR probability based on Halperin et al. (1989)'s method</i>
-------------	---

---

**Description**

Calculate confidence interval of DOOR probability based on Halperin et al. (1989)'s method

**Usage**

```

halperin_ci(
  y1 = NULL,
  y2 = NULL,
  n1 = NULL,
  n2 = NULL,
  data_type = c("freq", "prop"),
  summary_obj = NULL,
  conf_level = 0.95
)

```

**Arguments**

y1, y2	Numeric vectors of DOOR proportion or frequency distribution for group 1, group 2. The entries should be ordered from most desirable to least desirable
n1, n2	Sample sizes of group 1, group 2; must be specified if data_type = "prop"
data_type	Either "freq" for frequency input or "prop" for proportion input when using y1 and y2
summary_obj	A object returned by door_summary(); Alternative input for y1 and y2
conf_level	Confidence level

**Value**

Halperin et al. (1989)'s CI

**References**

reference

**See Also**

[door\\_ci\(\)](#)

**Examples**

```
y1 = c(60, 30, 10)
y2 = c(50, 40, 10)
halperin_ci(y1, y2)

## $halperin_ci
## [1] 0.4734504 0.6147386
```

---

inv\_tanh\_ci

*Calculate confidence interval of DOOR probability based on inverse hyperbolic tangent transformation of Wald-type CI*

---

**Description**

Calculate confidence interval of DOOR probability based on inverse hyperbolic tangent transformation of Wald-type CI

**Usage**

```
inv_tanh_ci(
  y1 = NULL,
  y2 = NULL,
  n1 = NULL,
  n2 = NULL,
  data_type = c("freq", "prop"),
  summary_obj = NULL,
  conf_level = 0.95
)
```

**Arguments**

y1, y2      Numeric vectors of DOOR proportion or frequency distribution for group 1, group 2. The entries should be ordered from most desirable to least desirable

n1, n2      Sample sizes of group 1, group 2; must be specified if method = "prop"

data_type	Either "freq" for frequency input or "prop" for proportion input when using y1 and y2
summary_obj	A object returned by individual_to_summary(); Alternative input for y1 and y2
conf_level	Confidence level

**Value**

Inverse hyperbolic tangent transformation CI

**See Also**

[door\\_ci\(\)](#)

**Examples**

```
inv_tanh_ci(c(60,30,10), c(50,40,10))
```

---

mock_raw_data	<i>Mock Raw Data</i>
---------------	----------------------

---

**Description**

A mock data that contains examples of a raw dataset of DOOR outcomes, treatment information, and DOOR components

**Usage**

```
data(mock_raw_data)
```

**Format**

A data frame with 55 observations with the following columns

**ARM, Arm text** Codes and labels of treatment arm

**DOOR, DOORtext** Codes and labels of DOOR outcome

**clinical failure, clinical failure text** Codes and labels for one of the DOOR components

**infectious complications, infectious complications text** Codes and labels for one of the DOOR components

**death, death text** Codes and labels for one of the DOOR components

**Weight** IPW weights

**Duration** Tie breaker

---

partial\_credit\_analysis

*Partial credit analysis for DOOR*


---

## Description

Partial credit analysis for DOOR

## Usage

```
partial_credit_analysis(
  grade_key,
  y1 = NULL,
  y2 = NULL,
  n1 = NULL,
  n2 = NULL,
  summary_obj = NULL,
  data_type = c("freq", "prop"),
  ci_method = "halperin",
  conf_level = 0.95,
  ...
)
```

## Arguments

grade_key	A numeric vector of grade key or a dataframe contains columns of grade keys
y1, y2	Numeric vectors of DOOR proportion or frequency distribution for group 1, group 2. The entries should be ordered from most desirable to least desirable
n1, n2	Sample sizes of group 1, group 2; must be specified if method = "prop"
summary_obj	An object returned by door_summary(); Alternative input for y1 and y2
data_type	Either "freq" for frequency input or "prop" for proportion input when using y1 and y2
ci_method	Specify the type of CI for DOOR probability given a grade key. The default is "halperin" for Halperin et al. (1989)'s method. Other options include "ps_h" for pseudo-score approach for Halperin's method and "tanh" for inverse hyperbolic tangent transformed method
conf_level	Confidence level
...	Optional additional parameters if ci_method = "ps_h"

## Value

An object containing information of partial credit analysis given grade keys

**Examples**

```
grade.key <- c(100, 80, 60, 40, 0)
y1 <- c(60, 30, 20, 10, 5)
y2 <- c(50, 40, 10, 20, 5)
partial_credit_analysis(grade_key = grade.key, y1 = y1, y2 = y2)
```

---

partial\_credit\_biplot *Partial credit plot*

---

**Description**

Partial credit plot

**Usage**

```
partial_credit_biplot(pc_object, ...)
```

**Arguments**

pc\_object      an object returned by partial\_credit\_analysis()  
...            additional arguments for other functions

**Value**

a plot object

**Examples**

```
grade.key <- c(100, 60, 0)
y1 <- c(60, 30, 10)
y2 <- c(50, 40, 10)
pc_object <- partial_credit_analysis(grade_key = grade.key, y1 = y1, y2 = y2)
partial_credit_biplot(pc_object)
```

---

partial\_credit\_contour\_plot

*Generate contour plot for partial credit analysis*

---

**Description**

The contour plot is for sensitivity analysis. Currently it supports given DOOR outcome categories of three or four. The contour plot assigns every combinations of grade keys given a DOOR outcome distribution

**Usage**

```
partial_credit_contour_plot(
  y1 = NULL,
  y2 = NULL,
  n1 = NULL,
  n2 = NULL,
  summary_obj = NULL,
  data_type = c("freq", "prop"),
  pc_inc = 10,
  contour_inc = 1
)
```

**Arguments**

y1, y2	Numeric vectors of DOOR proportion or frequency distribution for group 1, group 2. The entries should be ordered from most desirable to least desirable
n1, n2	Sample sizes of group 1, group 2; must be specified if method = "prop"
summary_obj	An object returned by individual_to_summary(); Alternative input for y1 and y2
data_type	Either "freq" for frequency input or "prop" for proportion input when using y1 and y2
pc_inc	Increment of partial credits
contour_inc	Increment of contour lines

**Value**

A graph object

**Examples**

```
y1 <- c(60, 30, 10)
y2 <- c(50, 40, 10)
partial_credit_contour_plot(y1, y2)
```

---

pseudo\_score\_ci

*Calculate pseudo score type confidence interval of DOOR probability*

---

**Description**

Some code of this function is adapted from the now-archived CRAN package "cta", originally authored by Joseph B. Lang. The original package was licensed under GPL-2, and the adapted code complies with this license.

**Usage**

```
pseudo_score_ci(  
  y1 = NULL,  
  y2 = NULL,  
  n1 = NULL,  
  n2 = NULL,  
  summary_obj = NULL,  
  data_type = c("freq", "prop"),  
  cil = 0.4,  
  ciu = 0.6,  
  conf_level = 0.95,  
  epsilon = 1e-04,  
  maxiter = 100  
)
```

**Arguments**

y1, y2	Numeric vectors of DOOR proportion or frequency distribution for group 1, group 2. The entries should be ordered from most desirable to least desirable
n1, n2	Sample sizes of group 1, group 2; must be specified if method = "prop"
summary_obj	A object returned by individual_to_summary(); Alternative input for y1 and y2
data_type	Either "freq" for frequency input or "prop" for proportion input when using y1 and y2
cil, ciu	Initial guesses of lower and upper limit, respectively
conf_level	Confidence level
epsilon	Convergence tolerance. Default to 1e-4
maxiter	Maximum iteration

**Value**

pseudo-score type CI and the number of iterations to calculate the lower bound and upper bound

**See Also**

[door\\_ci\(\)](#)

**Examples**

```
pseudo_score_ci(c(60,30,10), c(50,40,10))
```

---

var_pi	<i>Variance of DOOR probability</i>
--------	-------------------------------------

---

**Description**

Calculate multiple types of variances of DOOR probability

**Usage**

```
var_pi(p1, p2, n1, n2)
```

**Arguments**

p1	Vector of DOOR outcome proportion distribution for group 1
p2	Vector of DOOR outcome proportion distribution for group 2
n1	Sample size of group 1
n2	Sample size of group 2

**Value**

DOOR probability, Wald-type variance, exact variance, Halperin variance; theta for Halperin method

# Index

## \* datasets

- mock\_raw\_data, [12](#)
  
- calc\_doorprob, [2](#)
  
- door\_barplot, [3](#)
- door\_ci, [4](#)
- door\_ci(), [11](#), [12](#), [16](#)
- door\_component\_barplot, [5](#)
- door\_component\_forestplot, [6](#)
- door\_cumulative\_forestplot, [7](#)
- door\_summary, [8](#)
- door\_summary(), [3](#), [10](#)
- door\_test, [9](#)
  
- halperin\_ci, [10](#)
- halperin\_ci(), [5](#)
  
- inv\_tanh\_ci, [11](#)
  
- mock\_raw\_data, [12](#)
  
- partial\_credit\_analysis, [13](#)
- partial\_credit\_biplot, [14](#)
- partial\_credit\_contour\_plot, [14](#)
- pseudo\_score\_ci, [15](#)
- pseudo\_score\_ci(), [5](#)
  
- var\_pi, [17](#)